

# CITY OF MONTEREY PARK

320 West Newmark Avenue • Monterey Park • California 91754-2896  
[www.montereypark.ca.gov](http://www.montereypark.ca.gov)



---

**City Council**  
Peter Chan  
Mitchell Ing  
Hans Liang  
Teresa Real Sebastian  
Anthony Wong

**City Clerk**  
Vincent D. Chang

**City Treasurer**  
Joseph Leon

September 10, 2015

Mr. David Lozano, Sanitary Engineer  
State of California  
Department of Public Health  
Drinking Water Field Operations Branch  
500 North Central Avenue, Suite 500  
Glendale, CA 91203

Subject: Lead Copper Rule results

Dear Mr. Lozano:

Enclosed are the results of the City of Monterey Park's Lead & Copper Rule sampling report. During the month of August of 2015, the City took a total of 40 samples. The 90<sup>th</sup> percentile for Lead is <5 ug/L and Copper 260 ug/L.

If you have any questions, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "Frank Heldman".

Frank Heldman  
City of Monterey Park  
Water Utility Manager

### SAMPLE SITE IDENTIFICATION AND CERTIFICATION

System's Name: City of Monterey Park System Type:  CWS  NTNCWS

Address: 320 W. Newmark Ave. Number of People Served:  
Monterey Park, CA 91754  >100,000  501 to 3,300  
 10,001 to 100,000  101 to 500  
 3,301 to 10,000  ≤100

System ID: 1910092

Contact Person: Frank Heldman Telephone number: 626-307-1295

### CERTIFICATION OF SAMPLING SITES

<b>LEAD SOLDER SITES</b>	
# of single-family structures with copper pipes with lead solder installed after 1982 or lead pipes and/or lead service lines (Tier 1)	<u>16</u>
# of multi-family structures with copper pipes with lead solder installed after 1982 or lead pipes and/or lead service lines (Tier 1)	<u>24</u>
# of buildings containing copper pipes with lead solder installed after 1982 or lead pipes and/or lead service lines (Tier 2)	<u>                    </u>
# of sites that contain copper pipes with lead solder installed before 1983 (Tier 3)	<u>                    </u>
# of sites that do not meet Tier 1, 2, or 3 criteria (to be used only if other conditions have been exhausted)	<u>                    </u>
<b>TOTAL</b>	<u>40</u>

The following sources have been explored to determine the number of structures which have interior lead pipe or copper pipe with lead solder.

Plumbing and/or building codes  
 Plumbing and/or building permits  
 Contacts within the building department, municipal clerk's office, or State regulatory agencies for historical documentation of the service area development  
 Water Quality Data

**Other Resources Which PWS May Utilize**

Interviews with building inspectors  
 Survey of service area plumbers about when and where lead solder was used from 1982 to present  
 Survey residents in sections of the service area where lead pipe and/or copper pipe with lead solder is suspected to exist  
 Interviews with local contractors and developers

Explanation of Tier 2 and Tier 3 sites (attach additional pages if necessary) \_\_\_\_\_  
 \_\_\_\_\_

**SAMPLE SITE IDENTIFICATION AND CERTIFICATION**

**CERTIFICATION OF SAMPLING SITES**

**LEAD SERVICE LINE SITES**

# of samples required to be drawn from lead service line sites	0
# of samples actually drawn from lead service line sites	0
Difference (explain differences other than zero)	_____

The following sources have been explored to determine the number of lead service lines in the distribution system.

- Distribution system maps and record drawings
- Information collected for the presence of lead and copper as required under §141.42 of the Code of Federal Regulations
- Capital improvement plans and/or master plans for distribution system development
- Current and historical standard operating procedures and/or operation and maintenance (O&M) manuals for the type of materials used for service connections
- Utility records including meter installation records, customer complaint investigations and all historical documentation which indicate and/or confirm the location of lead service connections
- Existing water quality data for indications of 'troubled areas'

**Other Sources Which PWS Utilized**

- Interviews with senior personnel
- Conduct service line sampling where lead service lines are suspected to exist but their presence is not confirmed
- Review of permit files
- Community survey
- Review of USGS maps and records
- Interviews with pipe suppliers, contractors, and/or developers

Explanation of fewer than 50% LSL sites identified (attach additional pages if necessary): City of Monterey Park

**CERTIFICATION OF COLLECTION METHODS**

I certify that:

- Each first draw tap sample for lead and copper is 1 liter in volume and has stood motionless in the plumbing system of each sampling site for at least 6 hours.
- Each first draw sample collected from a single-family residence has been collected from the cold water kitchen tap or bathroom sink tap.
- Each first draw sample collected from a non-residential building has been collected at an interior tap from which water is typically drawn for consumption.
- Each first-draw sample collected during an annual or triennial monitoring period has been collected in the months of June, July, August, or September or in the alternate period specified by the State.
- Each resident who volunteered to collect tap water samples from his or her home has been properly instructed by [insert water system's name] City of Monterey Park in the proper methods for collecting lead and copper samples. I do not challenge the accuracy of those sampling results. Enclosed is a copy of the material distributed to residents explaining the proper collection methods, and a list of the residents who performed sampling.

**SAMPLE SITE IDENTIFICATION AND CERTIFICATION**

**RESULTS OF MONITORING**

**THE RESULTS OF LEAD AND COPPER TAP WATER SAMPLES MUST BE ATTACHED TO THIS DOCUMENT**

# of samples required 30  
 90th Percentile Pb <5 ug/L

# of samples submitted 40  
 90th Percentile Cu 260 ug/L

*Note: If the State has informed you that it will calculate your 90<sup>th</sup> percentile levels, you do not need to submit the 90<sup>th</sup> percentile calculations. However, you must still provide your sample results to the State by the deadline that they have specified.*

**THE RESULTS OF WATER QUALITY PARAMETER SAMPLES MUST BE ATTACHED TO THIS DOCUMENT**

# of WQP tap samples required 0  
 # of entry point samples required 0

# of WQP tap samples submitted 0  
 # of entry point samples submitted 0

**CHANGE IN SAMPLING SITES**


Original site address: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

New site address: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Distance between sites (approximately): \_\_\_\_\_

Targeting Criteria: NEW: \_\_\_\_\_ OLD: \_\_\_\_\_

Reason for change (attach additional pages if necessary) \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

  
 \_\_\_\_\_  
**SIGNATURE**  
 Frank Heldman Water Utility Manager 9/10/15  
**PRINTED NAME TITLE DATE**

## Lead Consumer Notice Certification Form

System name: CITY OF MONTEREY PARK

System no: 1910092

Monitoring period to which the notice applies (e.g., June – Sept. 2009): AUGUST 2015

Date(s) results were received from laboratory: 8/19/2015 & 8/26/2015

Date(s) results were provided to consumers: 9/10/2015

The water system named above hereby certifies that its lead consumer notice has been provided to each person it serves at the specific sampling site from which the sample was tested. The water system also certifies that these results and the following information were provided to such persons within 30 days of receiving the test results from the laboratory:

- Individual tap results from lead tap water monitoring carried out under the requirements of 40 CFR 141.86.
- An explanation of the health effects of lead.
- Steps that consumers can take to reduce exposure to lead in drinking water.
- Contact information for our water utility.
- The maximum contaminant level goals and action levels for lead, and the definitions of these two terms from 40 CFR 141.153(c).

Method(s) of Delivery (Check all items that apply):

- Notice was distributed by mail or other direct delivery. Specify other direct delivery methods:

electronic mail.

posting the notice on the Internet at www.

posting the notice in public places (attach a list of locations).

delivery of multiple copies to single bill addresses serving several persons such as: apartments, businesses, and large private employers.

other methods.

**Certified by:**

Name FRANK HELDMAN

Title WATER UTILITY MANAGER

Phone # 626 307-1295 Date 9/10/2015